







NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-S01-NWA SHAKER 1-PANEL			
A (DOOR WIDTH)	B	C	D1
38" [965]	5.1" [130]	27.8" [705]	66.4" [1686]
36" [914]	5.1" [130]	25.7" [654]	66.4" [1686]
34" [864]	4.5" [114]	25" [636]	67" [1702]
32" [813]	4.5" [114]	23" [585]	67" [1702]
30" [762]	4.5" [114]	21" [534]	67" [1702]
28" [711]	4.5" [114]	19" [483]	67" [1702]
26" [660]	4.5" [114]	17" [432]	67" [1702]
24" [610]	4.5" [114]	15" [382]	67" [1702]
22" [559]	4.5" [114]	13" [331]	67" [1702]
20" [508]	4.5" [114]	11" [280]	67" [1702]
18" [457]	4.5" [114]	9" [229]	67" [1702]
16" [406]	4.5" [114]	7" [178]	67" [1702]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)



SK-S01-NWA SHAKER 1-PANEL			
A (DOOR WIDTH)	B	C	D2
38" [965]	5.1" [130]	27.8" [705]	70.4" [1788]
36" [914]	5.1" [130]	25.7" [654]	70.4" [1788]
34" [864]	4.5" [114]	25" [636]	71" [1804]
32" [813]	4.5" [114]	23" [585]	71" [1804]
30" [762]	4.5" [114]	21" [534]	71" [1804]
28" [711]	4.5" [114]	19" [483]	71" [1804]
26" [660]	4.5" [114]	17" [432]	71" [1804]
24" [610]	4.5" [114]	15" [382]	71" [1804]
22" [559]	4.5" [114]	13" [331]	71" [1804]
20" [508]	4.5" [114]	11" [280]	71" [1804]
18" [457]	4.5" [114]	9" [229]	71" [1804]
16" [406]	4.5" [114]	7" [178]	71" [1804]


NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)



SK-S01-NWA SHAKER 1-PANEL


A (DOOR WIDTH)	B	C	D3
38" [965]	5.1" [130]	27.8" [705]	82.4" [2093]
36" [914]	5.1" [130]	25.7" [654]	82.4" [2093]
34" [864]	4.5" [114]	25" [636]	83" [2109]
32" [813]	4.5" [114]	23" [585]	83" [2109]
30" [762]	4.5" [114]	21" [534]	83" [2109]
28" [711]	4.5" [114]	19" [483]	83" [2109]
26" [660]	4.5" [114]	17" [432]	83" [2109]
24" [610]	4.5" [114]	15" [382]	83" [2109]
22" [559]	4.5" [114]	13" [331]	83" [2109]
20" [508]	4.5" [114]	11" [280]	83" [2109]
18" [457]	4.5" [114]	9" [229]	83" [2109]
16" [406]	4.5" [114]	7" [178]	83" [2109]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-S01 SHAKER 1-PANEL			
A (DOOR WIDTH)	B	C	D1
38" [965]	5.1" [130]	27.8" [705]	66.9" [1699]
36" [914]	5.1" [130]	25.7" [654]	66.9" [1699]
34" [864]	4.5" [114]	25" [636]	67.5" [1715]
32" [813]	4.5" [114]	23" [585]	67.5" [1715]
30" [762]	4.5" [114]	21" [534]	67.5" [1715]
28" [711]	4.5" [114]	19" [483]	67.5" [1715]
26" [660]	4.5" [114]	17" [432]	67.5" [1715]
24" [610]	4.5" [114]	15" [382]	67.5" [1715]
22" [559]	4.5" [114]	13" [331]	67.5" [1715]
20" [508]	4.5" [114]	11" [280]	67.5" [1715]
18" [457]	4.5" [114]	9" [229]	67.5" [1715]
16" [406]	4.5" [114]	7" [178]	67.5" [1715]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-S01 SHAKER 1-PANEL			
A (DOOR WIDTH)	B	C	D2
38" [965]	5.1" [130]	27.8" [705]	70.9" [1801]
36" [914]	5.1" [130]	25.7" [654]	70.9" [1801]
34" [864]	4.5" [114]	25" [636]	71.5" [1817]
32" [813]	4.5" [114]	23" [585]	71.5" [1817]
30" [762]	4.5" [114]	21" [534]	71.5" [1817]
28" [711]	4.5" [114]	19" [483]	71.5" [1817]
26" [660]	4.5" [114]	17" [432]	71.5" [1817]
24" [610]	4.5" [114]	15" [382]	71.5" [1817]
22" [559]	4.5" [114]	13" [331]	71.5" [1817]
20" [508]	4.5" [114]	11" [280]	71.5" [1817]
18" [457]	4.5" [114]	9" [229]	71.5" [1817]
16" [406]	4.5" [114]	7" [178]	71.5" [1817]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)



SK-S01 SHAKER 1-PANEL			
A (DOOR WIDTH)	B	C	D3
38" [965]	5.1" [130]	27.8" [705]	82.9" [2105]
36" [914]	5.1" [130]	25.7" [654]	82.9" [2105]
34" [864]	4.5" [114]	25" [636]	83.5" [2121]
32" [813]	4.5" [114]	23" [585]	83.5" [2121]
30" [762]	4.5" [114]	21" [534]	83.5" [2121]
28" [711]	4.5" [114]	19" [483]	83.5" [2121]
26" [660]	4.5" [114]	17" [432]	83.5" [2121]
24" [610]	4.5" [114]	15" [382]	83.5" [2121]
22" [559]	4.5" [114]	13" [331]	83.5" [2121]
20" [508]	4.5" [114]	11" [280]	83.5" [2121]
18" [457]	4.5" [114]	9" [229]	83.5" [2121]
16" [406]	4.5" [114]	7" [178]	83.5" [2121]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-M01 SHAKER 1-PANEL GLASS

A (DOOR WIDTH)	B	C	D1
38" [965]	5.1" [130]	27.8" [705]	66.9" [1699]
36" [914]	5.1" [130]	25.7" [654]	66.9" [1699]
34" [864]	4.5" [114]	25" [636]	67.5" [1715]
32" [813]	4.5" [114]	23" [585]	67.5" [1715]
30" [762]	4.5" [114]	21" [534]	67.5" [1715]
28" [711]	4.5" [114]	19" [483]	67.5" [1715]
26" [660]	4.5" [114]	17" [432]	67.5" [1715]
24" [610]	4.5" [114]	15" [382]	67.5" [1715]
22" [559]	4.5" [114]	13" [331]	67.5" [1715]
20" [508]	4.5" [114]	11" [280]	67.5" [1715]
18" [457]	4.5" [114]	9" [229]	67.5" [1715]
16" [406]	4.5" [114]	7" [178]	67.5" [1715]

NOTE: Door leaf manufacturing tolerances

Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-M01 SHAKER 1-PANEL GLASS

A (DOOR WIDTH)	B	C	D2
38" [965]	5.1" [130]	27.8" [705]	70.9" [1801]
36" [914]	5.1" [130]	25.7" [654]	70.9" [1801]
34" [864]	4.5" [114]	25" [636]	71.5" [1817]
32" [813]	4.5" [114]	23" [585]	71.5" [1817]
30" [762]	4.5" [114]	21" [534]	71.5" [1817]
28" [711]	4.5" [114]	19" [483]	71.5" [1817]
26" [660]	4.5" [114]	17" [432]	71.5" [1817]
24" [610]	4.5" [114]	15" [382]	71.5" [1817]
22" [559]	4.5" [114]	13" [331]	71.5" [1817]
20" [508]	4.5" [114]	11" [280]	71.5" [1817]
18" [457]	4.5" [114]	9" [229]	71.5" [1817]
16" [406]	4.5" [114]	7" [178]	71.5" [1817]


NOTE:Door leaf manufacturing tolerances

Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-M01 SHAKER 1-PANEL GLASS			
A (DOOR WIDTH)	B	C	D3
38" [965]	5.1" [130]	27.8" [705]	82.9" [2105]
36" [914]	5.1" [130]	25.7" [654]	82.9" [2105]
34" [864]	4.5" [114]	25" [636]	83.5" [2121]
32" [813]	4.5" [114]	23" [585]	83.5" [2121]
30" [762]	4.5" [114]	21" [534]	83.5" [2121]
28" [711]	4.5" [114]	19" [483]	83.5" [2121]
26" [660]	4.5" [114]	17" [432]	83.5" [2121]
24" [610]	4.5" [114]	15" [382]	83.5" [2121]
22" [559]	4.5" [114]	13" [331]	83.5" [2121]
20" [508]	4.5" [114]	11" [280]	83.5" [2121]
18" [457]	4.5" [114]	9" [229]	83.5" [2121]
16" [406]	4.5" [114]	7" [178]	83.5" [2121]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-M01T SHAKER 1-PANEL NARROW GLASS			
A (DOOR WIDTH)	B	C	D1
38" [965]	5.1" [130]	27.8" [705]	66.9" [1699]
36" [914]	5.1" [130]	25.7" [654]	66.9" [1699]
34" [864]	4.5" [114]	25" [636]	67.5" [1715]
32" [813]	4.5" [114]	23" [585]	67.5" [1715]
30" [762]	4.5" [114]	21" [534]	67.5" [1715]
28" [711]	4.5" [114]	19" [483]	67.5" [1715]
26" [660]	4.5" [114]	17" [432]	67.5" [1715]
24" [610]	4.5" [114]	15" [382]	67.5" [1715]
22" [559]	4.5" [114]	13" [331]	67.5" [1715]
20" [508]	4.5" [114]	11" [280]	67.5" [1715]
18" [457]	4.5" [114]	9" [229]	67.5" [1715]
16" [406]	4.5" [114]	7" [178]	67.5" [1715]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-M01T SHAKER 1-PANEL NARROW GLASS			
A (DOOR WIDTH)	B	C	D2
38" [965]	5.1" [130]	27.8" [705]	70.9" [1801]
36" [914]	5.1" [130]	25.7" [654]	70.9" [1801]
34" [864]	4.5" [114]	25" [636]	71.5" [1817]
32" [813]	4.5" [114]	23" [585]	71.5" [1817]
30" [762]	4.5" [114]	21" [534]	71.5" [1817]
28" [711]	4.5" [114]	19" [483]	71.5" [1817]
26" [660]	4.5" [114]	17" [432]	71.5" [1817]
24" [610]	4.5" [114]	15" [382]	71.5" [1817]
22" [559]	4.5" [114]	13" [331]	71.5" [1817]
20" [508]	4.5" [114]	11" [280]	71.5" [1817]
18" [457]	4.5" [114]	9" [229]	71.5" [1817]
16" [406]	4.5" [114]	7" [178]	71.5" [1817]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)



SK-MO1T SHAKER 1-PANEL NARROW GLASS			
A (DOOR WIDTH)	B	C	D3
38" [965]	5.1" [130]	27.8" [705]	82.9" [2105]
36" [914]	5.1" [130]	25.7" [654]	82.9" [2105]
34" [864]	4.5" [114]	25" [636]	83.5" [2121]
32" [813]	4.5" [114]	23" [585]	83.5" [2121]
30" [762]	4.5" [114]	21" [534]	83.5" [2121]
28" [711]	4.5" [114]	19" [483]	83.5" [2121]
26" [660]	4.5" [114]	17" [432]	83.5" [2121]
24" [610]	4.5" [114]	15" [382]	83.5" [2121]
22" [559]	4.5" [114]	13" [331]	83.5" [2121]
20" [508]	4.5" [114]	11" [280]	83.5" [2121]
18" [457]	4.5" [114]	9" [229]	83.5" [2121]
16" [406]	4.5" [114]	7" [178]	83.5" [2121]


NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)



SK-S01-BF SHAKER 1-PANEL BIFOLD


A (DOOR WIDTH)	B	C
24" [299]	2.4" [60]	7" [179]
26" [330]	2.4" [60]	8.3" [210]
28" [350]	2.4" [60]	9.1" [230]
30" [375]	2.4" [60]	10" [255]
32" [400]	2.4" [60]	11" [280]
36" [451]	2.4" [60]	13" [331]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-S01-BF SHAKER 1-PANEL BIFOLD		
A (DOOR WIDTH)	B	C
24" [299]	2.4" [60]	7" [179]
26" [330]	2.4" [60]	8.3" [210]
28" [350]	2.4" [60]	9.1" [230]
30" [375]	2.4" [60]	10" [255]
32" [400]	2.4" [60]	11" [280]
36" [451]	2.4" [60]	13" [331]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-S01-BF-CHI SHAKER 1-PANEL BIFOLD		
A (DOOR WIDTH)	B	C
24" [299]	3" [76]	5.8" [147]
26" [330]	3" [76]	7" [178]
28" [350]	3" [76]	7.8" [198]
30" [375]	3" [76]	8.8" [223]
32" [400]	3" [76]	9.8" [248]
36" [451]	3" [76]	11.8" [299]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-S01-BF-CHI SHAKER 1-PANEL BIFOLD		
A (DOOR WIDTH)	B	C
24" [299]	3" [76]	5.8" [147]
26" [330]	3" [76]	7" [178]
28" [350]	3" [76]	7.8" [198]
30" [375]	3" [76]	8.8" [223]
32" [400]	3" [76]	9.8" [248]
36" [451]	3" [76]	11.8" [299]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-M01-BF SHAKER 1-PANEL GLASS BIFOLD		
A (DOOR WIDTH)	B	C
24" [299]	2.4" [60]	7" [179]
26" [330]	2.4" [60]	8.3" [210]
28" [350]	2.4" [60]	9.1" [230]
30" [375]	2.4" [60]	10" [255]
32" [400]	2.4" [60]	11" [280]
36" [451]	2.4" [60]	13" [331]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-M01-BF SHAKER 1-PANEL GLASS BIFOLD		
A (DOOR WIDTH)	B	C
24" [299]	2.4" [60]	7" [179]
26" [330]	2.4" [60]	8.3" [210]
28" [350]	2.4" [60]	9.1" [230]
30" [375]	2.4" [60]	10" [255]
32" [400]	2.4" [60]	11" [280]
36" [451]	2.4" [60]	13" [331]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-S02 SHAKER 2-PANEL			
A (DOOR WIDTH)	B	C	D1
38" [965]	5.1" [130]	27.8" [705]	36.3" [921]
36" [914]	5.1" [130]	25.7" [654]	36.3" [921]
34" [864]	4.5" [114]	25" [636]	36.9" [937]
32" [813]	4.5" [114]	23" [585]	36.9" [937]
30" [762]	4.5" [114]	21" [534]	36.9" [937]
28" [711]	4.5" [114]	19" [483]	36.9" [937]
26" [660]	4.5" [114]	17" [432]	36.9" [937]
24" [610]	4.5" [114]	15" [382]	36.9" [937]
22" [559]	4.5" [114]	13" [331]	36.9" [937]
20" [508]	4.5" [114]	11" [280]	36.9" [937]
18" [457]	4.5" [114]	9" [229]	36.9" [937]
16" [406]	4.5" [114]	7" [178]	36.9" [937]

NOTE:Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-S02 SHAKER 2-PANEL			
A (DOOR WIDTH)	B	C	D2
38" [965]	5.1" [130]	27.8" [705]	40.3" [1023]
36" [914]	5.1" [130]	25.7" [654]	40.3" [1023]
34" [864]	4.5" [114]	25" [636]	40.9" [1039]
32" [813]	4.5" [114]	23" [585]	40.9" [1039]
30" [762]	4.5" [114]	21" [534]	40.9" [1039]
28" [711]	4.5" [114]	19" [483]	40.9" [1039]
26" [660]	4.5" [114]	17" [432]	40.9" [1039]
24" [610]	4.5" [114]	15" [382]	40.9" [1039]
22" [559]	4.5" [114]	13" [331]	40.9" [1039]
20" [508]	4.5" [114]	11" [280]	40.9" [1039]
18" [457]	4.5" [114]	9" [229]	40.9" [1039]
16" [406]	4.5" [114]	7" [178]	40.9" [1039]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)



SK-S02 SHAKER 2-PANEL			
A (DOOR WIDTH)	B	C	D3
38" [965]	5.1" [130]	27.8" [705]	52.2" [1327]
36" [914]	5.1" [130]	25.7" [654]	52.2" [1327]
34" [864]	4.5" [114]	25" [636]	52.9" [1343]
32" [813]	4.5" [114]	23" [585]	52.9" [1343]
30" [762]	4.5" [114]	21" [534]	52.9" [1343]
28" [711]	4.5" [114]	19" [483]	52.9" [1343]
26" [660]	4.5" [114]	17" [432]	52.9" [1343]
24" [610]	4.5" [114]	15" [382]	52.9" [1343]
22" [559]	4.5" [114]	13" [331]	52.9" [1343]
20" [508]	4.5" [114]	11" [280]	52.9" [1343]
18" [457]	4.5" [114]	9" [229]	52.9" [1343]
16" [406]	4.5" [114]	7" [178]	52.9" [1343]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-S02-NWA SHAKER 2-PANEL

A (DOOR WIDTH)	B	C	D1
38" [965]	5.1" [130]	27.8" [705]	35.7" [908]
36" [914]	5.1" [130]	25.7" [654]	35.7" [908]
34" [864]	4.5" [114]	25" [636]	36.4" [924]
32" [813]	4.5" [114]	23" [585]	36.4" [924]
30" [762]	4.5" [114]	21" [534]	36.4" [924]
28" [711]	4.5" [114]	19" [483]	36.4" [924]
26" [660]	4.5" [114]	17" [432]	36.4" [924]
24" [610]	4.5" [114]	15" [382]	36.4" [924]
22" [559]	4.5" [114]	13" [331]	36.4" [924]
20" [508]	4.5" [114]	11" [280]	36.4" [924]
18" [457]	4.5" [114]	9" [229]	36.4" [924]
16" [406]	4.5" [114]	7" [178]	36.4" [924]


NOTE:Door leaf manufacturing tolerances

Width and height: ±1/16" (±1.6 mm) Stile and rail: ±1/8" (±3.2 mm)




SK-S02-NWA SHAKER 2-PANEL			
A (DOOR WIDTH)	B	C	D2
38" [965]	5.1" [130]	27.8" [705]	39.8" [1010]
36" [914]	5.1" [130]	25.7" [654]	39.8" [1010]
34" [864]	4.5" [114]	25" [636]	40.4" [1026]
32" [813]	4.5" [114]	23" [585]	40.4" [1026]
30" [762]	4.5" [114]	21" [534]	40.4" [1026]
28" [711]	4.5" [114]	19" [483]	40.4" [1026]
26" [660]	4.5" [114]	17" [432]	40.4" [1026]
24" [610]	4.5" [114]	15" [382]	40.4" [1026]
22" [559]	4.5" [114]	13" [331]	40.4" [1026]
20" [508]	4.5" [114]	11" [280]	40.4" [1026]
18" [457]	4.5" [114]	9" [229]	40.4" [1026]
16" [406]	4.5" [114]	7" [178]	40.4" [1026]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-S02-NWA SHAKER 2-PANEL			
A (DOOR WIDTH)	B	C	D3
38" [965]	5.1" [130]	27.8" [705]	51.8" [1315]
36" [914]	5.1" [130]	25.7" [654]	51.8" [1315]
34" [864]	4.5" [114]	25" [636]	52.4" [1331]
32" [813]	4.5" [114]	23" [585]	52.4" [1331]
30" [762]	4.5" [114]	21" [534]	52.4" [1331]
28" [711]	4.5" [114]	19" [483]	52.4" [1331]
26" [660]	4.5" [114]	17" [432]	52.4" [1331]
24" [610]	4.5" [114]	15" [382]	52.4" [1331]
22" [559]	4.5" [114]	13" [331]	52.4" [1331]
20" [508]	4.5" [114]	11" [280]	52.4" [1331]
18" [457]	4.5" [114]	9" [229]	52.4" [1331]
16" [406]	4.5" [114]	7" [178]	52.4" [1331]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-M01T-BF SHAKER 1-PANEL NARROW GLASS BIFOLD		
A (DOOR WIDTH)	B	C
24" [299]	2.4" [60]	7" [179]
26" [330]	2.4" [60]	8.3" [210]
28" [350]	2.4" [60]	9.1" [230]
30" [375]	2.4" [60]	10" [255]
32" [400]	2.4" [60]	11" [280]
36" [451]	2.4" [60]	13" [331]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)



SK-M01T-BF SHAKER 1-PANEL NARROW GLASS BIFOLD		
A (DOOR WIDTH)	B	C
24" [299]	2.4" [60]	7" [179]
26" [330]	2.4" [60]	8.3" [210]
28" [350]	2.4" [60]	9.1" [230]
30" [375]	2.4" [60]	10" [255]
32" [400]	2.4" [60]	11" [280]
36" [451]	2.4" [60]	13" [331]


NOTE: Door leaf manufacturing tolerances
Width and height: ±1/16" (±1.6 mm) Stile and rail: ±1/8" (±3.2 mm)



SK-M02 SHAKER 2-PANEL GLASS


A (DOOR WIDTH)	B	C	D1
38" [965]	5.1" [130]	27.8" [705]	36.3" [921]
36" [914]	5.1" [130]	25.7" [654]	36.3" [921]
34" [864]	4.5" [114]	25" [636]	36.9" [937]
32" [813]	4.5" [114]	23" [585]	36.9" [937]
30" [762]	4.5" [114]	21" [534]	36.9" [937]
28" [711]	4.5" [114]	19" [483]	36.9" [937]
26" [660]	4.5" [114]	17" [432]	36.9" [937]
24" [610]	4.5" [114]	15" [382]	36.9" [937]
22" [559]	4.5" [114]	13" [331]	36.9" [937]
20" [508]	4.5" [114]	11" [280]	36.9" [937]
18" [457]	4.5" [114]	9" [229]	36.9" [937]
16" [406]	4.5" [114]	7" [178]	36.9" [937]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)



SK-M02 SHAKER 2-PANEL GLASS			
A (DOOR WIDTH)	B	C	D2
38" [965]	5.1" [130]	27.8" [705]	40.3" [1023]
36" [914]	5.1" [130]	25.7" [654]	40.3" [1023]
34" [864]	4.5" [114]	25" [636]	40.9" [1039]
32" [813]	4.5" [114]	23" [585]	40.9" [1039]
30" [762]	4.5" [114]	21" [534]	40.9" [1039]
28" [711]	4.5" [114]	19" [483]	40.9" [1039]
26" [660]	4.5" [114]	17" [432]	40.9" [1039]
24" [610]	4.5" [114]	15" [382]	40.9" [1039]
22" [559]	4.5" [114]	13" [331]	40.9" [1039]
20" [508]	4.5" [114]	11" [280]	40.9" [1039]
18" [457]	4.5" [114]	9" [229]	40.9" [1039]
16" [406]	4.5" [114]	7" [178]	40.9" [1039]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-M02 SHAKER 2-PANEL GLASS

A (DOOR WIDTH)	B	C	D3
38" [965]	5.1" [130]	27.8" [705]	52.2" [1327]
36" [914]	5.1" [130]	25.7" [654]	52.2" [1327]
34" [864]	4.5" [114]	25" [636]	52.9" [1343]
32" [813]	4.5" [114]	23" [585]	52.9" [1343]
30" [762]	4.5" [114]	21" [534]	52.9" [1343]
28" [711]	4.5" [114]	19" [483]	52.9" [1343]
26" [660]	4.5" [114]	17" [432]	52.9" [1343]
24" [610]	4.5" [114]	15" [382]	52.9" [1343]
22" [559]	4.5" [114]	13" [331]	52.9" [1343]
20" [508]	4.5" [114]	11" [280]	52.9" [1343]
18" [457]	4.5" [114]	9" [229]	52.9" [1343]
16" [406]	4.5" [114]	7" [178]	52.9" [1343]

NOTE: Door leaf manufacturing tolerances


Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)

NOTE:Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-S02-BF SHAKER 1-PANEL BIFOLD		
A (DOOR WIDTH)	B	C
24" [299]	2.4" [60]	7" [179]
26" [330]	2.4" [60]	8.3" [210]
28" [350]	2.4" [60]	9.1" [230]
30" [375]	2.4" [60]	10" [255]
32" [400]	2.4" [60]	11" [280]
36" [451]	2.4" [60]	13" [331]

NOTE:Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-S02-BF-CHI SHAKER 1-PANEL BIFOLD		
A (DOOR WIDTH)	B	C
24" [299]	3" [76]	5.8" [147]
26" [330]	3" [76]	7" [178]
28" [350]	3" [76]	7.8" [198]
30" [375]	3" [76]	8.8" [223]
32" [400]	3" [76]	9.8" [248]
36" [451]	3" [76]	11.8" [299]

NOTE:Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)



SK-S02-BF-CHI SHAKER 1-PANEL BIFOLD		
A (DOOR WIDTH)	B	C
24" [299]	3" [76]	5.8" [147]
26" [330]	3" [76]	7" [178]
28" [350]	3" [76]	7.8" [198]
30" [375]	3" [76]	8.8" [223]
32" [400]	3" [76]	9.8" [248]
36" [451]	3" [76]	11.8" [299]


NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)



SK-M02-BF SHAKER 2-PANEL GLASS BIFOLD		
A (DOOR WIDTH)	B	C
24" [299]	2.4" [60]	7" [179]
26" [330]	2.4" [60]	8.3" [210]
28" [350]	2.4" [60]	9.1" [230]
30" [375]	2.4" [60]	10" [255]
32" [400]	2.4" [60]	11" [280]
36" [451]	2.4" [60]	13" [331]


NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)

NOTE:Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-S03 SHAKER 3-PANEL		
A (DOOR WIDTH)	B	C
38" [965]	5.1" [130]	27.8" [705]
36" [914]	5.1" [130]	25.7" [654]
34" [864]	4.5" [114]	25" [636]
32" [813]	4.5" [114]	23" [585]
30" [762]	4.5" [114]	21" [534]
28" [711]	4.5" [114]	19" [483]
26" [660]	4.5" [114]	17" [432]
24" [610]	4.5" [114]	15" [382]
22" [559]	4.5" [114]	13" [331]
20" [508]	4.5" [114]	11" [280]
18" [457]	4.5" [114]	9" [229]
16" [406]	4.5" [114]	7" [178]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-S03 SHAKER 3-PANEL		
A (DOOR WIDTH)	B	C
38" [965]	5.1" [130]	27.8" [705]
36" [914]	5.1" [130]	25.7" [654]
34" [864]	4.5" [114]	25" [636]
32" [813]	4.5" [114]	23" [585]
30" [762]	4.5" [114]	21" [534]
28" [711]	4.5" [114]	19" [483]
26" [660]	4.5" [114]	17" [432]
24" [610]	4.5" [114]	15" [382]
22" [559]	4.5" [114]	13" [331]
20" [508]	4.5" [114]	11" [280]
18" [457]	4.5" [114]	9" [229]
16" [406]	4.5" [114]	7" [178]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-S03 SHAKER 3-PANEL		
A (DOOR WIDTH)	B	C
38" [965]	5.1" [130]	27.8" [705]
36" [914]	5.1" [130]	25.7" [654]
34" [864]	4.5" [114]	25" [636]
32" [813]	4.5" [114]	23" [585]
30" [762]	4.5" [114]	21" [534]
28" [711]	4.5" [114]	19" [483]
26" [660]	4.5" [114]	17" [432]
24" [610]	4.5" [114]	15" [382]
22" [559]	4.5" [114]	13" [331]
20" [508]	4.5" [114]	11" [280]
18" [457]	4.5" [114]	9" [229]
16" [406]	4.5" [114]	7" [178]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)



SK-S03T SHAKER 3-PANEL T			
A (DOOR WIDTH)	B	C	D
38" [965]	4.5" [115]	12.2" [310]	28.9" [735]
36" [914]	4.5" [115]	11.2" [284.5]	26.9" [684]
34" [864]	4.5" [115]	10.2" [259.5]	25" [634]
32" [813]	4.5" [115]	9.2" [234]	23" [583]
30" [762]	4.5" [115]	8.2" [208.5]	21" [532]
28" [711]	4.5" [115]	7.2" [183]	18.9" [481]
26" [660]	3.9" [100]	7.1" [180]	18.1" [460]
24" [610]	3.9" [100]	6.1" [155]	16.1" [410]
22" [559]	3.9" [100]	5.1" [129.5]	14.1" [359]
20" [508]	3.9" [100]	4.1" [104]	12.1" [308]


NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)



SK-S03T SHAKER 3-PANEL T


A (DOOR WIDTH)	B	C	D
38" [965]	4.5" [115]	12.2" [310]	28.9" [735]
36" [914]	4.5" [115]	11.2" [284.5]	26.9" [684]
34" [864]	4.5" [115]	10.2" [259.5]	25" [634]
32" [813]	4.5" [115]	9.2" [234]	23" [583]
30" [762]	4.5" [115]	8.2" [208.5]	21" [532]
28" [711]	4.5" [115]	7.2" [183]	18.9" [481]
26" [660]	3.9" [100]	7.1" [180]	18.1" [460]
24" [610]	3.9" [100]	6.1" [155]	16.1" [410]
22" [559]	3.9" [100]	5.1" [129.5]	14.1" [359]
20" [508]	3.9" [100]	4.1" [104]	12.1" [308]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)



SK-S03T SHAKER 3-PANEL T			
A (DOOR WIDTH)	B	C	D
38" [965]	4.5" [115]	12.2" [310]	28.9" [735]
36" [914]	4.5" [115]	11.2" [284.5]	26.9" [684]
34" [864]	4.5" [115]	10.2" [259.5]	25" [634]
32" [813]	4.5" [115]	9.2" [234]	23" [583]
30" [762]	4.5" [115]	8.2" [208.5]	21" [532]
28" [711]	4.5" [115]	7.2" [183]	18.9" [481]
26" [660]	3.9" [100]	7.1" [180]	18.1" [460]
24" [610]	3.9" [100]	6.1" [155]	16.1" [410]
22" [559]	3.9" [100]	5.1" [129.5]	14.1" [359]
20" [508]	3.9" [100]	4.1" [104]	12.1" [308]


NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)



SK-M03 SHAKER 3-PANEL GLASS		
A (DOOR WIDTH)	B	C
38" [965]	5.1" [130]	27.8" [705]
36" [914]	5.1" [130]	25.7" [654]
34" [864]	4.5" [114]	25" [636]
32" [813]	4.5" [114]	23" [585]
30" [762]	4.5" [114]	21" [534]
28" [711]	4.5" [114]	19" [483]
26" [660]	4.5" [114]	17" [432]
24" [610]	4.5" [114]	15" [382]
22" [559]	4.5" [114]	13" [331]
20" [508]	4.5" [114]	11" [280]
18" [457]	4.5" [114]	9" [229]
16" [406]	4.5" [114]	7" [178]

NOTE: Door leaf manufacturing tolerances

Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-M03 SHAKER 3-PANEL GLASS		
A (DOOR WIDTH)	B	C
38" [965]	5.1" [130]	27.8" [705]
36" [914]	5.1" [130]	25.7" [654]
34" [864]	4.5" [114]	25" [636]
32" [813]	4.5" [114]	23" [585]
30" [762]	4.5" [114]	21" [534]
28" [711]	4.5" [114]	19" [483]
26" [660]	4.5" [114]	17" [432]
24" [610]	4.5" [114]	15" [382]
22" [559]	4.5" [114]	13" [331]
20" [508]	4.5" [114]	11" [280]
18" [457]	4.5" [114]	9" [229]
16" [406]	4.5" [114]	7" [178]

NOTE: Door leaf manufacturing tolerances

Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)

A (DOOR WIDTH)	B	C
38" [965]	5.1" [130]	27.8" [705]
36" [914]	5.1" [130]	25.7" [654]
34" [864]	4.5" [114]	25" [636]
32" [813]	4.5" [114]	23" [585]
30" [762]	4.5" [114]	21" [534]
28" [711]	4.5" [114]	19" [483]
26" [660]	4.5" [114]	17" [432]
24" [610]	4.5" [114]	15" [382]
22" [559]	4.5" [114]	13" [331]
20" [508]	4.5" [114]	11" [280]
18" [457]	4.5" [114]	9" [229]
16" [406]	4.5" [114]	7" [178]


Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)



SK-S05 SHAKER 5-PANEL		
A (DOOR WIDTH)	B	C
38" [965]	5.1" [130]	27.8" [705]
36" [914]	5.1" [130]	25.7" [654]
34" [864]	4.5" [114]	25" [636]
32" [813]	4.5" [114]	23" [585]
30" [762]	4.5" [114]	21" [534]
28" [711]	4.5" [114]	19" [483]
26" [660]	4.5" [114]	17" [432]
24" [610]	4.5" [114]	15" [382]
22" [559]	4.5" [114]	13" [331]
20" [508]	4.5" [114]	11" [280]
18" [457]	4.5" [114]	9" [229]
16" [406]	4.5" [114]	7" [178]


NOTE: Door leaf manufacturing tolerances

Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-S05 SHAKER 5-PANEL		
A (DOOR WIDTH)	B	C
38" [965]	5.1" [130]	27.8" [705]
36" [914]	5.1" [130]	25.7" [654]
34" [864]	4.5" [114]	25" [636]
32" [813]	4.5" [114]	23" [585]
30" [762]	4.5" [114]	21" [534]
28" [711]	4.5" [114]	19" [483]
26" [660]	4.5" [114]	17" [432]
24" [610]	4.5" [114]	15" [382]
22" [559]	4.5" [114]	13" [331]
20" [508]	4.5" [114]	11" [280]
18" [457]	4.5" [114]	9" [229]
16" [406]	4.5" [114]	7" [178]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-S05 SHAKER 5-PANEL		
A (DOOR WIDTH)	B	C
38" [965]	5.1" [130]	27.8" [705]
36" [914]	5.1" [130]	25.7" [654]
34" [864]	4.5" [114]	25" [636]
32" [813]	4.5" [114]	23" [585]
30" [762]	4.5" [114]	21" [534]
28" [711]	4.5" [114]	19" [483]
26" [660]	4.5" [114]	17" [432]
24" [610]	4.5" [114]	15" [382]
22" [559]	4.5" [114]	13" [331]
20" [508]	4.5" [114]	11" [280]
18" [457]	4.5" [114]	9" [229]
16" [406]	4.5" [114]	7" [178]

NOTE: Door leaf manufacturing tolerances
Width and height: ±1/16" (±1.6 mm) Stile and rail: ±1/8" (±3.2 mm)




SK-S05 SHAKER 5-PANEL GLASS		
A (DOOR WIDTH)	B	C
38" [965]	5.1" [130]	27.8" [705]
36" [914]	5.1" [130]	25.7" [654]
34" [864]	4.5" [114]	25" [636]
32" [813]	4.5" [114]	23" [585]
30" [762]	4.5" [114]	21" [534]
28" [711]	4.5" [114]	19" [483]
26" [660]	4.5" [114]	17" [432]
24" [610]	4.5" [114]	15" [382]
22" [559]	4.5" [114]	13" [331]
20" [508]	4.5" [114]	11" [280]
18" [457]	4.5" [114]	9" [229]
16" [406]	4.5" [114]	7" [178]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-S05 SHAKER 5-PANEL GLASS		
A (DOOR WIDTH)	B	C
38" [965]	5.1" [130]	27.8" [705]
36" [914]	5.1" [130]	25.7" [654]
34" [864]	4.5" [114]	25" [636]
32" [813]	4.5" [114]	23" [585]
30" [762]	4.5" [114]	21" [534]
28" [711]	4.5" [114]	19" [483]
26" [660]	4.5" [114]	17" [432]
24" [610]	4.5" [114]	15" [382]
22" [559]	4.5" [114]	13" [331]
20" [508]	4.5" [114]	11" [280]
18" [457]	4.5" [114]	9" [229]
16" [406]	4.5" [114]	7" [178]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-S05 SHAKER 5-PANEL GLASS		
A (DOOR WIDTH)	B	C
38" [965]	5.1" [130]	27.8" [705]
36" [914]	5.1" [130]	25.7" [654]
34" [864]	4.5" [114]	25" [636]
32" [813]	4.5" [114]	23" [585]
30" [762]	4.5" [114]	21" [534]
28" [711]	4.5" [114]	19" [483]
26" [660]	4.5" [114]	17" [432]
24" [610]	4.5" [114]	15" [382]
22" [559]	4.5" [114]	13" [331]
20" [508]	4.5" [114]	11" [280]
18" [457]	4.5" [114]	9" [229]
16" [406]	4.5" [114]	7" [178]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-M05T SHAKER 5-PANEL NARROW GLASS		
A (DOOR WIDTH)	B	C
38" [965]	5.1" [130]	27.8" [705]
36" [914]	5.1" [130]	25.7" [654]
34" [864]	4.5" [114]	25" [636]
32" [813]	4.5" [114]	23" [585]
30" [762]	4.5" [114]	21" [534]
28" [711]	4.5" [114]	19" [483]
26" [660]	4.5" [114]	17" [432]
24" [610]	4.5" [114]	15" [382]
22" [559]	4.5" [114]	13" [331]
20" [508]	4.5" [114]	11" [280]
18" [457]	4.5" [114]	9" [229]
16" [406]	4.5" [114]	7" [178]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-M05T SHAKER 5-PANEL NARROW GLASS		
A (DOOR WIDTH)	B	C
38" [965]	5.1" [130]	27.8" [705]
36" [914]	5.1" [130]	25.7" [654]
34" [864]	4.5" [114]	25" [636]
32" [813]	4.5" [114]	23" [585]
30" [762]	4.5" [114]	21" [534]
28" [711]	4.5" [114]	19" [483]
26" [660]	4.5" [114]	17" [432]
24" [610]	4.5" [114]	15" [382]
22" [559]	4.5" [114]	13" [331]
20" [508]	4.5" [114]	11" [280]
18" [457]	4.5" [114]	9" [229]
16" [406]	4.5" [114]	7" [178]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)



SK-M05T SHAKER 5-PANEL NARROW GLASS		
A (DOOR WIDTH)	B	C
38" [965]	5.1" [130]	27.8" [705]
36" [914]	5.1" [130]	25.7" [654]
34" [864]	4.5" [114]	25" [636]
32" [813]	4.5" [114]	23" [585]
30" [762]	4.5" [114]	21" [534]
28" [711]	4.5" [114]	19" [483]
26" [660]	4.5" [114]	17" [432]
24" [610]	4.5" [114]	15" [382]
22" [559]	4.5" [114]	13" [331]
20" [508]	4.5" [114]	11" [280]
18" [457]	4.5" [114]	9" [229]
16" [406]	4.5" [114]	7" [178]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-S05-BF SHAKER 5-PANEL BIFOLD		
A (DOOR WIDTH)	B	C
24" [299]	2.4" [60]	7" [179]
26" [330]	2.4" [60]	8.3" [210]
28" [350]	2.4" [60]	9.1" [230]
30" [375]	2.4" [60]	10" [255]
32" [400]	2.4" [60]	11" [280]
36" [451]	2.4" [60]	13" [331]

NOTE:Door leaf manufacturing tolerances

Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)


A (DOOR WIDTH)	B	C
24" [299]	2.4" [60]	7" [179]
26" [330]	2.4" [60]	8.3" [210]
28" [350]	2.4" [60]	9.1" [230]
30" [375]	2.4" [60]	10" [255]
32" [400]	2.4" [60]	11" [280]
36" [451]	2.4" [60]	13" [331]

NOTE:Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)



SK-M05-BF SHAKER 5-PANEL GLASS BIFOLD		
A (DOOR WIDTH)	B	C
24" [299]	2.4" [60]	7" [179]
26" [330]	2.4" [60]	8.3" [210]
28" [350]	2.4" [60]	9.1" [230]
30" [375]	2.4" [60]	10" [255]
32" [400]	2.4" [60]	11" [280]
36" [451]	2.4" [60]	13" [331]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)




SK-M05-BF SHAKER 5-PANEL GLASS BIFOLD		
A (DOOR WIDTH)	B	C
24" [299]	2.4" [60]	7" [179]
26" [330]	2.4" [60]	8.3" [210]
28" [350]	2.4" [60]	9.1" [230]
30" [375]	2.4" [60]	10" [255]
32" [400]	2.4" [60]	11" [280]
36" [451]	2.4" [60]	13" [331]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)

NOTE:Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)


NOTE:Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)



SK-S05-CHI SHAKER 5-PANEL		
A (DOOR WIDTH)	B	C
38" [965]	5.1" [130]	27.8" [705]
36" [914]	5.1" [130]	25.7" [654]
34" [864]	4.5" [114]	25" [636]
32" [813]	4.5" [114]	23" [585]
30" [762]	4.5" [114]	21" [534]
28" [711]	4.5" [114]	19" [483]
26" [660]	4.5" [114]	17" [432]
24" [610]	4.5" [114]	15" [382]
22" [559]	4.5" [114]	13" [331]
20" [508]	4.5" [114]	11" [280]
18" [457]	4.5" [114]	9" [229]
16" [406]	4.5" [114]	7" [178]


NOTE: Door leaf manufacturing tolerances

Width and height: ±1/16" (±1.6 mm) Stile and rail: ±1/8" (±3.2 mm)




SK-S05-CHI SHAKER 5-PANEL		
A (DOOR WIDTH)	B	C
38" [965]	5.1" [130]	27.8" [705]
36" [914]	5.1" [130]	25.7" [654]
34" [864]	4.5" [114]	25" [636]
32" [813]	4.5" [114]	23" [585]
30" [762]	4.5" [114]	21" [534]
28" [711]	4.5" [114]	19" [483]
26" [660]	4.5" [114]	17" [432]
24" [610]	4.5" [114]	15" [382]
22" [559]	4.5" [114]	13" [331]
20" [508]	4.5" [114]	11" [280]
18" [457]	4.5" [114]	9" [229]
16" [406]	4.5" [114]	7" [178]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)



SK-S02-CHI SHAKER 2-PANEL			
A (DOOR WIDTH)	B	C	D1
38" [965]	5.1" [130]	27.8" [705]	36.3" [921]
36" [914]	5.1" [130]	25.7" [654]	36.3" [921]
34" [864]	4.5" [114]	25" [636]	36.3" [921]
32" [813]	4.5" [114]	23" [585]	36.9" [937]
30" [762]	4.5" [114]	21" [534]	36.9" [937]
28" [711]	4.5" [114]	19" [483]	36.9" [937]
26" [660]	4.5" [114]	17" [432]	36.9" [937]
24" [610]	4.5" [114]	15" [382]	36.9" [937]
22" [559]	4.5" [114]	13" [331]	36.9" [937]
20" [508]	4.5" [114]	11" [280]	36.9" [937]
18" [457]	4.5" [114]	9" [229]	36.9" [937]
16" [406]	4.5" [114]	7" [178]	36.9" [937]

NOTE:Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)



SK-S02-CHI SHAKER 2-PANEL			
A (DOOR WIDTH)	B	C	D2
38" [965]	5.1" [130]	27.8" [705]	51.4" [1305]
36" [914]	5.1" [130]	25.7" [654]	51.4" [1305]
34" [864]	4.5" [114]	25" [636]	51.4" [1305]
32" [813]	4.5" [114]	23" [585]	52" [1321]
30" [762]	4.5" [114]	21" [534]	52" [1321]
28" [711]	4.5" [114]	19" [483]	52" [1321]
26" [660]	4.5" [114]	17" [432]	52" [1321]
24" [610]	4.5" [114]	15" [382]	52" [1321]
22" [559]	4.5" [114]	13" [331]	52" [1321]
20" [508]	4.5" [114]	11" [280]	52" [1321]
18" [457]	4.5" [114]	9" [229]	52" [1321]
16" [406]	4.5" [114]	7" [178]	52" [1321]

NOTE: Door leaf manufacturing tolerances
Width and height: $\pm 1/16"$ (± 1.6 mm) Stile and rail: $\pm 1/8"$ (± 3.2 mm)